


The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use of the information herein, including but not limited to, reproduction, distribution, or disclosure to any third party, is strictly prohibited. CONNFLY reserves the right to enforce its intellectual property rights in its use in any format or manner. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
C	DRAWING UPDATE	JLZ 04/07/20'		

N: Number of contacts/2




1. Product number code:

DS1052 -XX 1 B X X A X X

- Cable style
 - 1: Type 1
 - Length Dim L

0114:114mm	0120:120mm
0290:290mm	3400:3400mm
1500:1500mm	0170:170mm
2400:2400mm	0280:280mm
0085:85mm	0192:192mm
4300:4300mm	
 - Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
 - Flat cable color
 - A: Gray S: Dark gray
 - Strain relief
 - M:W/
 - N:W/O
 - Contact plating
 - 2:Gold+Nickel
 - 0: { DS1016 Gold+Nickel
DS1018 Selective gold flash
 - 8: { DS1016 Gold+Nickel
DS1018 Full gold flash
 - Si: { DS1016 Selective gold flash
DS1018 Selective gold flash
- Housing color
 - B:Black
- Connector Q'ty
 - 1: 2 Connector
- (1PCS DS1016 ;1PCS DS1018)
- No.of contacts

10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P



Tel:86-574-63508787
 Fax:86-574-63510817
 E-mail:sale@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 P.C:315333

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°	UNITS	mm	DS1052 (DS1016,DS1018)	
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1052 SERIES
.XX	±0.25	.XX	±2°	晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD			
DRAWING TYPE		CUSTOMER					
SCALE	1:1	SHEET	1 OF 1				
DRAWING NO.		C-DS1052-XX1XXXXXX1-C					


The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays in exercising such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
C	DRAWING UPDATE	JLZ 04/07/20'		

N: Number of contacts/2

1. Product number code:


DS1052 -XX 1 B X X A X X



- Cable style
- 2: Type 2
- Length Dim L

0114:114mm	0120:120mm
0290:290mm	3400:3400mm
1500:1500mm	0170:170mm
2400:2400mm	0280:280mm
0085:85mm	0192:192mm
4300:4300mm	
- Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
- Flat cable color
 - A: Gray S: Dark gray
- Strain relief
 - M:W/
 - N:W/O
- Contact plating
 - 2:Gold+Nickel
 - 0: { DS1016 Gold+Nickel
DS1018 Selective gold flash
 - 8: { DS1016 Gold+Nickel
DS1018 Full gold flash
 - Si: { DS1016 Selective gold flash
DS1018 Selective gold flash
- Housing color
 - B:Black
- Connector Q'ty
 - 1: 2 Connector
 - (1PCS DS1016 ;1PCS DS1018)
- No.of contacts

10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P



Tel:86-574-63508787
 Fax:86-574-63510817
 E-mail:sales@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 P.C:315333


GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION	TITLE
X.	±0.60	X.	±5°		DS1052 (DS1016,DS1018)
.X	±0.38	.X	±3°	mm	
.XX	±0.25	.XX	±2°	A4	DS1052 SERIES
DRAWING TYPE		CUSTOMER		晨翔电子有限公司 CONNFLY ELECTRONIC CO. LTD	
SCALE		1:1 SHEET 1 OF 1			
DRAWING NO.		C-DS1052-XX1XXXXX2-C			

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

Dept	Qty
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QF	1

N: Number of contacts/2



REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
C	DRAWING UPDATE	JLZ 04/07/20'		



1. Product number code:
DS1052 -XX 1 B X X A X X
- Cable style
 - 3: Type 3
 - Length Dim L

0114:114mm	0120:120mm
0290:290mm	3400:3400mm
1500:1500mm	0170:170mm
2400:2400mm	0280:280mm
0085:85mm	0192:192mm
4300:4300mm	
 - Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
 - Flat cable color
 - A: Gray S: Dark gray
 - Strain relief
 - M:W/
 - N:W/O
 - Contact plating
 - 2:Gold+Nickel
 - 0: { DS1016 Gold+Nickel
DS1018 Selective gold flash
 - 8: { DS1016 Gold+Nickel
DS1018 Full gold flash
 - Si: { DS1016 Selective gold flash
DS1018 Selective gold flash
 - Housing color
 - B:Black
 - Connector Q'ty
 - 1: 2 Connector
 - (1PCS DS1016 ; 1PCS DS1018)
 - No. of contacts

10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P



Tel:86-574-62508787
 Fax:86-574-62510817
 E-mail:sale@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 P.C:315333



GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°	UNITS	mm	DS1052 (DS1016,DS1018)	
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1052 SERIES
.XX	±0.25	.XX	±2°	晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD			
DRAWING TYPE		CUSTOMER					
SCALE	1:1	SHEET	1 OF 1				
DRAWING NO.		C-DS1052-XX1XXXXX3-C					

Dept	
Qty	
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QE	1

The information provided herein is from CONNLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNLY or its affiliates. Unauthorized use of this information for any purpose other than the intended use is prohibited. CONNLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
C	DRAWING UPDATE	JLZ 04/07/20'		

N: Number of contacts/2



1. Product number code:

DS1052 -XX 1 B X X A X X

- Cable style
- 4: Type 4
- Length Dim L

0114:114mm	0120:120mm
0290:290mm	3400:3400mm
1500:1500mm	0170:170mm
2400:2400mm	0280:280mm
0085:85mm	0192:192mm
4300:4300mm	
- Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
- Flat cable color
 - A: Gray S: Dark gray
- Strain relief
 - M:W/
 - N:W/O
- Contact plating
 - 2:Gold+Nickel
 - 0: { DS1016 Gold+Nickel
DS1018 Selective gold flash
 - 8: { DS1016 Gold+Nickel
DS1018 Full gold flash
 - Si: { DS1016 Selective gold flash
DS1018 Selective gold flash
- Housing color
 - B:Black
- Connector Q'ty
 - 1: 2 Connector
 - (1PCS DS1016 ; 1PCS DS1018)
- No. of contacts


10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P

Tel:86-574-63508787
 Fax:86-574-63510817
 E-mail:sale@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 P.C:315333

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°	UNITS	mm	DS1052 (DS1016,DS1018)	
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1052 SERIES
.XX	±0.25	.XX	±2°	晨翔电子有限公司 CONNLY CONNLY ELECTRONIC CO. LTD			
DRAWING TYPE		CUSTOMER					
SCALE	1:1	SHEET	1 OF 1				
DRAWING NO.		C-DS1052-XX1XXXXX4-C					

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document, in any form or by any means, without the prior written permission of CONNFLY, may constitute an infringement of its intellectual property rights and its use in any format or manner. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
E	DRAWING UPDATE	JLZ 04/07/20'		



1. Product number code:
DS1052 -XX 2 X X X A X X

- Cable style
1: Type 1
- Length Dim L

0072:72mm	0262:262mm	0150:150mm
0100:100mm	0432:432mm	1130:1130mm
0171:171mm	0412:412mm	1480:1480mm
0200:200mm	0037:37mm	0216:216mm
0210:210mm	0112:112mm	0080:80mm
0300:300mm	0182:182mm	0120:120mm
0610:610mm	0362:362mm	0220:220mm
0700:700mm	0422:422mm	1000:1000mm
0920:920mm	0350:350mm	5000:5000mm
0254:254mm	0085:85mm	
0290:290mm	0070:70mm	
- Wire diameter

1:Ø.100 Folwer mark
2:Ø.127 Red mark
3:Ø.100 Red mark
4:Ø.127 Folwer mark
- Flat cable color
A: Gray S: Dark gray
- Strain relief
M:W/
N:W/O
- Contact plating
2:Gold+Nickel
N:Nickel
- Housing color
A:Gray B:Black
- Connector Q'ty
2: 2 Connector (2PCS DS1016)
- No. of contacts

10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P


CONNFLY
 4-63508787
 86-574-63510817
 E-mail:sale@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 315333

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°			DS1052 (2*DS1016)	
.X	±0.38	.X	±3°	UNITS		mm	
.XX	±0.25	.XX	±2°	SHEET SIZE		A4	
DRAWING TYPE		CUSTOMER		SERIES		DS1052 SERIES	
SCALE		1:1		SHEET		1 OF 1	
DRAWING NO.		C-DS1052-XX2XXXXX1-E		晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD			

Dept	Qty
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QF	1

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document without the prior written permission of CONNFLY is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
E	DRAWING UPDATE	JLZ 04/07/20'		



1. Product number code:
DS1052 -XX 2 X X X A X X

- Cable style
- 2: Type 2
- Length Dim L

0072:72mm	0262:262mm	0150:150mm
0100:100mm	0432:432mm	1130:1130mm
0171:171mm	0412:412mm	1480:1480mm
0200:200mm	0037:37mm	0216:216mm
0210:210mm	0112:112mm	0080:80mm
0300:300mm	0182:182mm	0120:120mm
0610:610mm	0362:362mm	0220:220mm
0700:700mm	0422:422mm	1000:1000mm
0920:920mm	0350:350mm	5000:5000mm
0254:254mm	0085:85mm	
0290:290mm	0070:70mm	
- Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
- Flat cable color
 - A: Gray S: Dark gray
- Strain relief
 - M:W/
 - N:W/O
- Contact plating
 - 2:Gold+Nickel
 - N:Nickel
- Housing color
 - A:Gray B:Black
- Connector Q'ty
 - 2: 2 Connector (2PCS DS1016)
- No. of contacts





10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	DS1052 (2*DS1016)	
X.	±0.60	X.	±5°	UNITS	mm	SHEET SIZE	A4	
.X	±0.38	.X	±3°			SERIES	DS1052 SERIES	
.XX	±0.25	.XX	±2°					
DRAWING TYPE		CUSTOMER		晨翔电子有限公司 CONNFLY ELECTRONIC CO. LTD				
SCALE		1:1						
DRAWING NO.		C-DS1052-XX2XXXXXX2-E						
SHEET		1 OF 1						

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document for any purpose without the prior written permission of CONNFLY is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
E	DRAWING UPDATE	JLZ 04/07/20'		

Dept	Qty
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QF	1




1. Product number code:
DS1052 -XX 2 X X X A X X

- Cable style
3: Type 3
- Length Dim L
0072:72mm 0262:262mm 0150:150mm
0100:100mm 0432:432mm 1130:1130mm
0171:171mm 0412:412mm 1480:1480mm
0200:200mm 0037:37mm 0216:216mm
0210:210mm 0112:112mm 0080:80mm
0300:300mm 0182:182mm 0120:120mm
0610:610mm 0362:362mm 0220:220mm
0700:700mm 0422:422mm 1000:1000mm
0920:920mm 0350:350mm 5000:5000mm
0254:254mm 0085:85mm
0290:290mm 0070:70mm
- Wire diameter
1:Ø.100 Folwer mark
2:Ø.127 Red mark
3:Ø.100 Red mark
4:Ø.127 Folwer mark
- Flat cable color
A: Gray S: Dark gray
- Strain relief
M:W/
N:W/O
- Contact plating
2:Gold+Nickel
N:Nickel
- Housing color
A:Gray B:Black
- Connector Q'ty
2: 2 Connector (2PCS DS1016)
- No. of contacts
10:10P 20:20P 30:30P 50:50P
14:14P 24:24P 34:34P 60:60P
16:16P 26:26P 40:40P 64:64P

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°			DS1052 (2*DS1016)	
.X	±0.38	.X	±3°	UNITS		mm	
.XX	±0.25	.XX	±2°	SHEET SIZE		A4	
DRAWING TYPE		CUSTOMER		SERIES		DS1052 SERIES	
SCALE		1:1		SHEET		1 OF 1	
DRAWING NO.		C-DS1052-XX2XXXXX3-E		晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD			

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document without the prior written permission of CONNFLY is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
E	DRAWING UPDATE	JLZ 04/07/20'		



1. Product number code:

DS1052 -XX 2 X X X A X X

- Cable style
 - 4: Type 4
- Length Dim L


0072:72mm	0262:262mm	0150:150mm
0100:100mm	0432:432mm	1130:1130mm
0171:171mm	0412:412mm	1480:1480mm
0200:200mm	0037:37mm	0216:216mm
0210:210mm	0112:112mm	0080:80mm
0300:300mm	0182:182mm	0120:120mm
0610:610mm	0362:362mm	0220:220mm
0700:700mm	0422:422mm	1000:1000mm
0920:920mm	0350:350mm	5000:5000mm
0254:254mm	0085:85mm	
0290:290mm	0070:70mm	
- Wire diameter
 - 1:Ø.100 Folwer mark
 - 2:Ø.127 Red mark
 - 3:Ø.100 Red mark
 - 4:Ø.127 Folwer mark
- Flat cable color
 - A: Gray S: Dark gray
- Strain relief
 - M:W/
 - N:W/O
- Contact plating
 - 2:Gold+Nickel
 - N:Nickel
- Housing color
 - A:Gray B:Black
- Connector Q'ty
 - 2: 2 Connector (2PCS DS1016)
- No. of contacts

10:10P	20:20P	30:30P	50:50P
14:14P	24:24P	34:34P	60:60P
16:16P	26:26P	40:40P	64:64P

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°			DS1052 (2*DS1016)	
.X	±0.38	.X	±3°	UNITS		mm	
.XX	±0.25	.XX	±2°	SHEET SIZE		A4	
DRAWING TYPE				CUSTOMER			
SCALE				1:1 SHEET 1 OF 1			
DRAWING NO.				C-DS1052-XX2XXXXX4-E			
晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD							

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or reproduction of any part of this document, in any form or by any means, without the prior written permission of CONNFLY is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
E	DRAWING UPDATE	JLZ 04/07/20'		



1. Product number code:
DS1052 -XX 2 X X X A X X

- Cable style
5: Type 5
- Length Dim L
0072:72mm 0262:262mm 0150:150mm
0100:100mm 0432:432mm 1130:1130mm
0171:171mm 0412:412mm 1480:1480mm
0200:200mm 0037:37mm 0216:216mm
0210:210mm 0112:112mm 0080:80mm
0300:300mm 0182:182mm 0120:120mm
0610:610mm 0362:362mm 0220:220mm
0700:700mm 0422:422mm 1000:1000mm
0920:920mm 0350:350mm 5000:5000mm
0254:254mm 0085:85mm
0290:290mm 0070:70mm
- Wire diameter
1:Ø.100 Folwer mark
2:Ø.127 Red mark
3:Ø.100 Red mark
4:Ø.127 Folwer mark
- Flat cable color
A: Gray S: Dark gray
- Strain relief
M:W/
N:W/O
- Contact plating
2:Gold+Nickel
N:Nickel
- Housing color
A:Gray B:Black
- Connector Q'ty
2: 2 Connector (2PCS DS1016)
- No. of contacts
10:10P 20:20P 30:30P 50:50P
14:14P 24:24P 34:34P 60:60P
16:16P 26:26P 40:40P 64:64P


GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°			DS1052 (2*DS1016)	
.X	±0.38	.X	±3°	UNITS		mm	
.XX	±0.25	.XX	±2°	SHEET SIZE		A4	
DRAWING TYPE		CUSTOMER		SERIES		DS1052 SERIES	
SCALE		1:1		SHEET		1 OF 1	
DRAWING NO.		C-DS1052-XX2XXXXX5-E		晨翔电子有限公司 CONNFLY ELECTRONIC CO. LTD			

Dept	
Qty	
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QF	1

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 06/12/07'		LJC 06/12/07'
B	DRAWING UPDATE	YCH 06/28/13'		LJC 06/28/13'
C	DRAWING UPDATE	JLZ 04/07/20'		

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use of this information is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

N: Number of contacts/2



1. Product number code:

DS1052 -XX 3 B X A X X

- Length Dim L
0125:125mm
- Wire diameter
1:Ø0.100 Folwer mark
2:Ø0.127 Red mark
3:Ø0.100 Red mark
4:Ø0.127 Folwer mark
- Flat cable color
A: Gray S: Dark gray
- Contact plating
2:Gold+Nickel
8:Full gold flash
- Housing color
B:Black
- Connector Q'ty
3: 2 Connector(2PCS DS1019)
- No. of contacts
10:10P (Dim D=7.62)
14:14P (Dim D=7.62)
16:16P (Dim D=7.62)
18:18P (Dim D=7.62)
20:20P (Dim D=7.62)
24:24P (Dim D=15.24)
28:28P (Dim D=15.24)
40:40P (Dim D=15.24)



Tel:86-574-63508787
 Fax:86-574-63510817
 E-mail:sale@connfly.com
 http://www.connfly.com
 Add:East Industry Zone KuangYan
 Town Cixi Ningbo China
 P.C:315333

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	
X.	±0.60	X.	±5°	UNITS	mm	DS1052 (2PCS DS1019)	
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1052 SERIES
.XX	±0.25	.XX	±2°	晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD			
DRAWING TYPE		CUSTOMER					
SCALE	1:1	SHEET	1 OF 1				
DRAWING NO.		C-DS1052-XX3XXXXX-C					