






Item	Date	Remark
A	20101109	Original Drawing
B	20101229	Modify Pin Define



(Reference Mechanical Design)



Pin	Symbol
1	C2P
2	C2N
3	C1P
4	C1N
5	VDDDB
6	N.C.
7	VSS
8	VDD
9	RES#
10	SCL
11	SDA
12	IREF
13	VCOMH
14	VCC



Notes:

1. Color: White
2. Driver IC: SSD1306
3. FPC Number: UT-0206-P02
4. Interface: I2C
5. General Tolerance: ±0.30
6. The total thickness (1.40 Max) is without polarizer protective film & remove tape.  
The actual assembled total thickness with above materials should be 1.65 Max.

Customer Approval Signature	WiseChip Semiconductor Inc.						Drawing Number	Rev.	
		Unless Otherwise Specified Unit mm General Roughness $\sqrt{Ra}$ Tolerance Dimension ±0.3 Angle ±1						DMX9616SDGF14	B
	Title	UG-9616TSWCG02 Folding Type OEL Display Module				Material		Soda Lime / Polyimide	
		Pixel Number: 96 x 16, Monochrome, COG Package	Drawn	E.E.	Panel / E.	P.M.	Scale	Sheet	Size
	By	Gary Lin	Ting Kuo Hu	Ivy Lo	Tiffany Hsu	1:1	1 of 1	A3	
	Date	20101229	20101229	20101229	20101229				