





Item	Date	Remark
A	20120830	Original Drawing



Pin	Symbol
1	N.C. (GND)
2	VSS
3	VCC
4	VCOMH
5	VLSS
6	D7
7	D6
8	D5
9	D4
10	D3
11	D2
12	D1
13	D0
14	ERD#
15	R/W#
16	BS0
17	BS1
18	D/C#
19	CS#
20	RES#
21	FR
22	REF
23	N.C.
24	VDDIO
25	VDD
26	VCI
27	VSL
28	VLSS
29	VCC
30	N.C. (GND)

- Notes:
- Color: White
 - Driver IC: SSD1322
 - FPC Number: UT-0222-P04
 - Interface:
8-bit 68XX/80XX Parallel, 3-/4-wire SPI
 - General Tolerance: ± 0.30
 - The total thickness (2.10 Max) is without polarizer protective film & remove tape.
The actual assembled total thickness with above materials should be 2.35 Max.

Customer Approval Signature	WiseChip Semiconductor Inc.							Drawing Number	Rev.
	UG-2864ASWIG01 Folding Type OEL Display Module Pixel Number: 128 x 64, Monochrome, COG Package							DMG2864CNGFBS	A
	Material							Soda Lime / Polyimide	
	Tolerance							Scale	Sheet
Unit mm		Title	Drawn	E.E.	Panel / E.	P.M.	1:1	1 of 1	A3
General Roughness			By	Dora Yang	Ting-Kuo Hu	Ivy Lo	Tiffany Hsu		
Dimension		Angle	Date	20120830	20120830	20120830	20120830		